



SECURUS SS-NW15C-M1

1.0 Megapixel Indoor WIFI IP Cube Camera

A Professional 1.0 Megapixel WIFI IP Cube Camera Dome. It is **ONVIF** Compliant which means that it will work on all major NVR/HVR. Supports Mobile Viewing on iPhone and Android. It has built-in POE which makes the Installation easy. It is powered by Securusddns for remote viewing.

SECURUS IPC RANGE
01-04-2016




SPECIAL FEATURE



Conventional



Wide Dynamic Range (WDR)



**UPTO 32GB SD
CARD SUPPORTED**


Parameter	Details
Model	SS-NW15C-M1
Make	SECURUS
Image Sensor	1/4" Progressive Scan CMOS
Image Pixels	1280 x 720 Pixels (1.0 MP)
Minimum Illumination	0.01Lux @(F1.2,AGC ON),0Lux with IR
Day/Night	Auto (ICR) / Color / Black & White
WDR (Wide Dynamic Range)	≥80db
IR LEDs	11 IR LEDs
IR Distance	10 Meters
Lens Mount	2.8mm Megapixel Board Lens
Network Interface	10/100 MBPS RJ45 Connector
Network Protocol	HTTP, TCP, ARP, RTSP, RTP, UDP, RTCP, SMTP, FTP, DHCP, DNS, DDNS, PPPoE, IPv4/v6, SNMP, QoS, UPnP, NTP
Electronic Shutter Speed	Manual/Auto (1/25 ~ 1/100000 S)
DDNS Service	FREE DDNS: www.securusddns.com
P2P Cloud Service	FREE P2P Supported
ONVIF Protocol	Compatible
Video Encoding	H.264
Video Bitrate	128kbps ~ 8Mbps
Video Streams	Main Stream : 1280 x 720; 30 FPS Sub Stream 1: 640 x 480; 30 FPS

Parameter	Details
Audio Input	Yes
Audio Output	Yes
Audio Compression	PCMV/PCMA
Audio Bitrate	64Kbps(G.711) / 16Kpbs(G.726)
Image Setup	Mirror Image/Reverse/Color Settings
Alarm	Motion Detection
Alarm I/O	1/1
Wireless	Supports WIFI
Operation Temperature	-10°C ~ +55°C
Operation Humidity	0% ~ 90%
Power Supply	DC5V / 500mA
Power Consumption	≤3.0W (Without IR)
Weight	≤0.35 KGs (No HDD)

RMEYE Mobile Application



Android



iPhone

© K.M. Electronic Cables Pvt. Ltd. - Ahmedabad. All Rights Reserved.

Specifications are subject to change without prior notice.