


SECURUS CAT6 SFTP CABLE

HDPE Coated CAT6 Cable for Outdoor Purpose

Securus CAT6 Outdoor SFTP Cable is Industrial Grade Cable that can be deployed in Harsh Environments. It is a Shielded Twisted Pair Cable and Full Copper Standard Gauge. With additional Aluminum Foiling that helps to reduce Environmental Interference. It comes in 305 Meters Wooden Drum Packaging.

SECURUS CABLES RANGE
01-02-2018



**305 METER
WOODEN DRUM
IN BOX PACKING**

Parameter	Details
Product	CAT6 SFTP Outdoor Cable
Make	SECURUS
Conductor	Solid Bare Electrolytic Grade Copper
Nominal Conductor Diameter	23 AWG (0.530 ± 0.015 mm)
Insulation	Polyethylene (HDPE)
Pairing	Twisted Into Two Core
No. Of Pair	4, Each Twisted Pair
Color Code	
Pair #1	Orange-White & Orange
Pair #2	Brown-White & Brown
Pair #3	Blue-White & Blue
Pair #4	Green-White & Green
Shield	Aluminum Shielding
Inner Sheath Material	PVC
Inner Sheath Color	Grey
Outer Sheath Material	LDPE
Outer Sheath Color	Black
Approximate OD	6.70 ± 0.50mm

Parameter	Details
Rip Cord	Yes
Sequential Marking	Meter Marking
Cross Filler	HDPE
DC	93.5Ω / 100 Meters
Resistance Unbalance	5% Max
Mutual Capacitance	5.6nf / 100 Meters (Max)
NVP	69%
Impedance	100Ω (± 15Ω)
Worst Cable Skew	45ns / 100 Meters
Installation Temperature	0°C ~ +50°C
Storage Temperature	-20°C ~ +75°C
Operating Temperature	-20°C ~ +60°C
Packing Length	305 Meters
Packing Type	Wooden Drum Packing